

| L Number | Hits | Search Text  | DB  | Time stamp       |
|----------|------|--|---|------------------|
| -        | 1    | ("60130777").PN.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 09:40 |
| -        | 80   | application near3 establish\$3 near3 path                            | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/05 15:16 |
| -        | 142  | ((709/238).CCLS.) and (application same path)                        | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/05 15:17 |
| -        | 101  | ((709/238).CCLS.) and (application same path)) and @ay < "2000"      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/05 15:51 |
| -        | 4    | establish\$3 adj communicat\$3 adj path adj between adj application  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/05 16:01 |
| -        | 81   | rout\$3 adj table same path same application                         | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/05 16:13 |
| -        | 21   | (rout\$3 adj table same path same application) and ((709/???).CCLS.) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/05 16:14 |
| -        | 91   | ((709/238).CCLS.) and (communicat\$3 adj path)                       | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/06 10:29 |
| -        | 13   | ((709/238).CCLS.) and ((communicat\$3 adj path) same application)    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/06 11:06 |

|   |     |  |   |                  |
|---|-----|--|---|------------------|
| - | 121 | ("5517636"<br>"5701484"<br>"4280217"<br>"6085100"<br>"6252544"<br>"5550911"<br>"6330250"<br>"5680551"<br>"5790809"<br>"5983265"<br>"5519772"<br>"5579318"<br>"5826014"<br>"6061798"<br>"6061798"<br>"6094479"<br>"6181935"<br>"6317594"<br>"6078948"<br>"5012747"<br>"5483522"<br>"6055228"<br>"6076116"<br>"6125397"<br>"5371890"<br>"5446871"<br>"5497484"<br>"5875234"<br>"4251879"<br>"5007089"<br>"5291597"<br>"5331574"<br>"5448723"<br>"5526483"<br>"5606493"<br>"5627977"<br>"5675740"<br>"5754784"<br>"5777986"<br>"5802312"<br>"5889516"<br>"5892753"<br>"5974568"<br>"6012082"<br>"6023730"<br>"6199160"<br>"5802388"<br>"6021443"<br>"6023742"<br>"6249519").pn. | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/06 11:06 |
|---|-----|--|---|------------------|

|   |     |   |   |                  |
|---|-----|---|---|------------------|
| - | 83  | ("5517636"<br>"5701484"<br>"4280217"<br>"6085100"<br>"6252544"<br>"5550911"<br>"6330250"<br>"5680551"<br>"5790809"<br>"5983265"<br>"5519772"<br>"5579318"<br>"5826014"<br>"6061798"<br>"6061798"<br>"6094479"<br>"6181935"<br>"6317594"<br>"6078948"<br>"5012747"<br>"5483522"<br>"6055228"<br>"6076116"<br>"6125397"<br>"5371890"<br>"5446871"<br>"5497484"<br>"5875234"<br>"4251879"<br>"5007089"<br>"5291597"<br>"5331574"<br>"5448723"<br>"5526483"<br>"5606493"<br>"5627977"<br>"5675740"<br>"5754784"<br>"5777986"<br>"5802312"<br>"5889516"<br>"5892753"<br>"5974568"<br>"6012082"<br>"6023730"<br>"6199160"<br>"5802388"<br>"6021443"<br>"6023742"<br>"6249519").pn.<br>) and path<br>application near3 establish near3 session | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/06 12:00 |
| - | 145 |   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/06 16:30 |

|   |   |  |   |                  |
|---|---|--|---|------------------|
| - | 9 | ("5517636"<br>"5701484"<br>"4280217"<br>"6085100"<br>"6252544"<br>"5550911"<br>"6330250"<br>"5680551"<br>"5790809"<br>"5983265"<br>"5519772"<br>"5579318"<br>"5826014"<br>"6061798"<br>"6061798"<br>"6094479"<br>"6181935"<br>"6317594"<br>"6078948"<br>"5012747"<br>"5483522"<br>"6055228"<br>"6076116"<br>"6125397"<br>"5371890"<br>"5446871"<br>"5497484"<br>"5875234"<br>"4251879"<br>"5007089"<br>"5291597"<br>"5331574"<br>"5448723"<br>"5526483"<br>"5606493"<br>"5627977"<br>"5675740"<br>"5754784"<br>"5777986"<br>"5802312"<br>"5889516"<br>"5892753"<br>"5974568"<br>"6012082"<br>"6023730"<br>"6199160"<br>"5802388"<br>"6021443"<br>"6023742"<br>"6249519").pn.<br>) and (path same channel)<br>("5619650").PN. | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/06 12:01 |
| - | 3 |  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/06 14:29 |
| - | 1 | port\$3 adj application near5 establish\$3 adj communication   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/06 12:20 |

|   |     |  |   |                  |
|---|-----|--|---|------------------|
| - | 190 | session same channel same path same communication  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/06 13:18 |
| - | 146 | ((session same channel same path same communication) and @ay < "2000"  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/06 13:45 |
| - | 131 | ((session same channel same path same communication) and @ay < "2000") and (application or program)                | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/06 13:46 |
| - | 10  | establishing adj communication adj between adj applications  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/06 14:18 |
| - | 266 | (709/313,314).CCLS.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/06 14:30 |
| - | 13  | ((709/313,314).CCLS.) and (path same channel)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/06 14:44 |
| - | 9   | path same ((insert or add) adj application)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/06 15:07 |
| - | 132 | (709/243).CCLS.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/06 15:08 |
| - | 125 | rout\$3 same ((port\$3 or insert\$3 or add\$3) adj application)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/06 15:43 |
| - | 189 | ((port or insert\$3 or add\$3 or load\$3) adj application) same path   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/06 16:13 |
| - | 1   | ((((port or insert\$3 or add\$3 or load\$3) adj application) same path) and @ay < "2000") and configur\$3 adj path | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/06 15:50 |
| - | 159 | ((((port or insert\$3 or add\$3 or load\$3) adj application) same path) and @ay < "2000"                           | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/06 15:51 |
| - | 29  | ((port or insert\$3 or add\$3 or load\$3 or install\$3) adj program) same path same channel                        | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/06 16:18 |

|   |     |   |   |                  |
|---|-----|---|---|------------------|
| - | 27  | (application near3 establish near3 session) and (add\$3 or install\$3 or load\$3 or insert\$3) adj (application or program) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/07 16:04 |
| - | 73  | ((channel or path) same (add\$3 or install\$3 or load\$3 or insert\$3) adj (application or program)) and ((709/???).CCLS.)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/07 17:28 |
| - | 4   | ((("6266782") or ("6360250")).PN.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/07 18:29 |
| - | 2   | ("6137792").PN.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/07 17:07 |
| - | 2   | ("6137792").PN.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/07 17:07 |
| - | 3   | ("5619650").PN.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/07 17:07 |
| - | 67  | ((channel or path) same (add\$3 or install\$3 or load\$3 or insert\$3) adj (object or module)) and ((709/???).CCLS.)        | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/07 17:35 |
| - | 36  | ((713/1,2).CCLS.) and (path same channel)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/07 17:43 |
| - | 3   | ((create or establish) adj (connection or path)) and 709/??? and network same router adj application                        | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/07 17:48 |
| - | 5   | routing adj table adj manager   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/07 17:51 |
| - | 40  | establish\$3 adj connection adj applications  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/07 17:52 |
| - | 124 | client near3 server near3 (connection or path) same channel   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/07 18:08 |
| - | 55  | path same channel near3 handler   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/07 18:10 |

|   |     |  |   |                  |
|---|-----|--|---|------------------|
| - | 286 | connect\$3 near2 node same path near2 channel  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/07 18:30 |
| - | 7   | ("5392425"   "5396505"   "5481548"   "5640394"   "5727152"  <br>"6026080"   "6157635").PN. | USPAT   | 2002/08/07 18:25 |
| - | 213 | session near2 (establish\$3 or creat\$3) near2 applications                                | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/07 18:30 |
| - | 6   | (connect\$3 near2 node same path near2 channel) and<br>((709/???).CCLS.)                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/07 18:33 |
| - | 1   | establish adj communication adj between adj two adj<br>applications                        | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/07 18:47 |
| - | 31  | session adj service same (path or channel)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/07 18:36 |
| - | 53  | ((709/227).CCLS.) and (path near5 channel)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/07 18:48 |
| - | 40  | ((((709/227).CCLS.) and (path near5 channel)) and @ay <<br>"2000"                          | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/07 18:48 |
| - | 35  | ((((709/227).CCLS.) and (path near5 channel)) and @ay <<br>"1999"                          | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/08 16:45 |
| - | 26  | rout\$3 adj application same path same channel   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/08 16:50 |
| - | 187 | rout\$3 adj application same communication   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/08 16:52 |
| - | 36  | ((709/???).CCLS.) and (rout\$3 adj application same<br>communication)                      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/08 16:52 |
| - | 3   | event adj channels same application same path  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/08 17:20 |

|   |     |   |   |                  |
|---|-----|---|---|------------------|
| - | 177 | (709/318).CCLS.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/08 18:14 |
| - | 29  | ((709/318).CCLS.) and network same channel  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/08 17:21 |
| - | 7   | corba near3 event adj channels  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/08 18:14 |
| - | 23  | 5539886.URPN.   | USPAT   | 2002/08/08 17:40 |
| - | 3   | ("5539886").PN.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/08 18:14 |
| - | 114 | ((709/318).CCLS.) and @ay < "1999"  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/08 18:32 |
| - | 294 | (709/237).CCLS.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/08 18:33 |
| - | 6   | ((709/237).CCLS.) and ready adj message   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/08 18:34 |
| - | 19  | ((709/237).CCLS.) and ready adj (message or signal)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/08 18:41 |
| - | 20  | distribut\$3 near2 application same path same channel   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 10:46 |
| - | 163 | distribut\$3 near2 application same connect\$3 same (path or channel or port)                         | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 10:48 |
| - | 39  | (distribut\$3 near2 application same connect\$3 same (path or channel or port)) and ((709/???).CCLS.) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 10:58 |
| - | 91  | ((709/???).CCLS.) and (component same (path or channel or port) same session)                         | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 10:59 |



|   |     |  |   |                  |
|---|-----|--|---|------------------|
| - | 51  | (((709/???).CCLS.) and (component same (path or channel or port) same session)) and @ay < "1999"           | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 12:48 |
| - | 294 | (709/237).CCLS.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 11:13 |
| - | 62  | (((709/237).CCLS.) and session) and @ay < "1999"   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 14:15 |
| - | 78  | ((709/237).CCLS.) and session  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 11:26 |
| - | 3   | configuration adj file same path adj data  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 11:27 |
| - | 210 | (configuration adj file same (path or port or socket or channel)) and ((709/???).CCLS.)                    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 11:29 |
| - | 133 | ((configuration adj file same (path or port or socket or channel)) and ((709/???).CCLS.)) and @ay < "1999" | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 11:55 |
| - | 16  | advertise adj service same (path or channel or port or session)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 11:37 |
| - | 245 | ((709/237).CCLS.) and @ay < "1999"   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 11:42 |
| - | 178 | (((709/237).CCLS.) and @ay < "1999") and (path or channel or session)                                      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 11:54 |
| - | 178 | (((709/237).CCLS.) and @ay < "1999") and (path or channel or session)) and @ay < "1999"                    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 11:53 |
| - | 271 | ((709/238-244).CCLS.) and rout\$3 adj table  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 11:54 |
| - | 248 | (((709/238-244).CCLS.) and (path or channel or session)) and (((709/238-244).CCLS.) and rout\$3 adj table) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 11:55 |

|   |     |  |   |                  |
|---|-----|--|---|------------------|
| - | 181 | (((((709/238-244).CCLS.) and (path or channel or session)) and (((709/238-244).CCLS.) and rout\$3 adj table)) and @ay < "1999"   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 17:17 |
| - | 6   | (((((709/238-244).CCLS.) and (path or channel or session)) and (((709/238-244).CCLS.) and rout\$3 adj table)) and @ay < "1999") and ((add or install or insert or load) adj (application or module or program or component)) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 12:11 |
| - | 285 | (install\$5 or load\$3 or add\$3) near3 (establish\$3 or request\$3 or creat\$3) adj (connection or path or channel or session)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 12:17 |
| - | 20  | search adj (session or path or channel or connection) adj data   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 12:17 |
| - | 30  | ((install\$5 or load\$3 or add\$3) near3 (establish\$3 or request\$3 or creat\$3) adj (connection or path or channel or session)) and ((709/???).CCLS.)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 12:23 |
| - | 2   | system adj services adj api  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 12:27 |
| - | 12  | application adj program adj path   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 12:33 |
| - | 30  | communication same (new adj application) same (existing adj application)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 12:47 |
| - | 144 | dynamic adj loading same (path or channel or session)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 12:53 |
| - | 120 | (dynamic adj loading same (path or channel or session)) and @ay < "1999"   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 12:49 |
| - | 13  | dynamic\$4 adj load\$3 adj (application or program or module or component) same (path or channel or session)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 13:00 |
| - | 5   | configur\$3 adj network adj application  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 13:39 |
| - | 3   | ("5539886").PN.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 13:48 |

|   |     |   |   |                  |
|---|-----|---|---|------------------|
| - | 42  | ((709/???).CCLS.) and (configur\$3 adj (path or channel))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 14:13 |
| - | 143 | inter adj process adj communication same (path or channel)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 14:15 |
| - | 102 | (inter adj process adj communication same (path or channel)) and @ay < "1999"   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 15:13 |
| - | 3   | communication adj (channel or path) same ready adj message  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 15:33 |
| - | 3   | ("4692861").PN.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 15:34 |
| - | 3   | ("5517636").PN.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 16:43 |
| - | 14  | 5517636.URPN.   | USPAT   | 2002/08/09 15:48 |
| - | 3   | ("5619650").PN.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 17:12 |
| - | 93  | socket adj api  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 17:16 |
| - | 59  | ((709/???).CCLS.) and (socket adj api)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/09 17:16 |
| - | 45  | ((((709/???).CCLS.) and (socket adj api)) and @ay < "1999"  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 12:05 |
| - | 12  | ("4428043"   "4768150"   "4855905"   "4941089"   "5124909"   "5142622"   "5251205"   "5287537"   "5307346"   "5309437"   "5327558"   "5490252").PN. | USPAT   | 2002/08/09 17:17 |
| - | 132 | (709/243).CCLS.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 15:38 |
| - | 110 | ((709/243).CCLS.) and (path or channel or session)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 12:06 |

|   |     |   |   |                  |
|---|-----|---|---|------------------|
| - | 103 | (((709/243).CCLS.) and (path or channel or session)) and @ay < "1999"                                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 12:06 |
| - | 1   | path adj data near1 (ascertain or look adj up)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 12:45 |
| - | 7   | (path or channel or session) adj (data or information) near1 (ascertain or look adj up)                 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 12:50 |
| - | 238 | configuration adj file WITH (path or channel or session)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 12:51 |
| - | 82  | (configuration adj file WITH (path or channel or session)) and ((709/??).CCLS.)                         | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 13:01 |
| - | 88  | (application or program) adj (ascertain or search) with (path or session or channel)                    | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 13:11 |
| - | 70  | ((application or program) adj (ascertain or search) with (path or session or channel)) and @ay < "2000" | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 14:01 |
| - | 57  | request adj (session or path) same (path or session) adj (data or information)                          | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 13:24 |
| - | 15  | application with (look or search or find or ascertain) with (rout\$3 adj table)                         | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 13:58 |
| - | 2   | monitor with notify with application same (path or channel)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 14:00 |
| - | 127 |   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 14:01 |
| - | 93  |   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 14:16 |
| - | 3   |   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 14:16 |

|   |     |   |   |                  |
|---|-----|---|---|------------------|
| - | 69  | retriev\$3 near3 path adj data  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 14:16 |
| - | 59  | (retriev\$3 near3 path adj data) and @ay < "2000"   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 14:28 |
| - | 30  | ((713/1,2).CCLS.) and application near2 (path or channel or port)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 14:47 |
| - | 190 | ((709/311-314).CCLS.) and (path or channel)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 14:48 |
| - | 61  | ((709/311-314).CCLS.) and communication adj (path or channel)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 14:58 |
| - | 3   | add adj node same (cluster or network) same (configur\$5 with (path or channel or session))                                 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 15:01 |
| - | 19  | add adj node same (cluster or network) and (configur\$5 with (path or channel or session))                                  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 15:05 |
| - | 3   | install\$5 with application same configuration adj file same (path or channel)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 15:07 |
| - | 103 | install\$5 with application same configuration adj file   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 15:08 |
| - | 71  | (install\$5 with application same configuration adj file ) and @ay < "1999"   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 17:09 |
| - | 10  | ("5572678"   "5586118"   "5764915"   "5822531"   "5937165"   "5938733"   "5941949"   "6097731"   "6144999"   "6157944").PN. | USPAT   | 2002/08/10 15:16 |
| - | 3   | application with (look adj up) with (rout\$3 adj table)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 15:25 |
| - | 187 | port\$3 adj application same (path or channel)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 15:33 |

|   |     |   |   |                  |
|---|-----|---|---|------------------|
| - | 162 | (port\$3 adj application same (path or channel)) and @ay < "1999" | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 15:37 |
| - | 30  | rout\$3 adj table same establish adj communication                | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 15:48 |
| - | 122 | name adj service same (path or channel)                           | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 15:49 |
| - | 69  | (name adj service same (path or channel)) and @ay < "1999"        | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 15:49 |
| - | 76  | client adj request adj connection                                 | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 16:20 |
| - | 3   | look adj up with application adj (address or path)                | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 16:39 |
| - | 24  | bind\$3 adj applications same path                                | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 16:43 |
| - | 2   | ("6137792").PN.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 16:45 |
| - | 38  | network adj address same configuration adj file                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 17:02 |
| - | 4   | application adj rout\$3 adj address                               | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 17:03 |
| - | 107 | service adj rout\$3 adj address                                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 17:04 |
| - | 92  | (service adj rout\$3 adj address) and @ay < "1999"                | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 17:09 |
| - | 272 | ((709/???).CCLS.) and (establish adj session)                     | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 17:09 |

|   |     |  |   |                  |
|---|-----|--|---|------------------|
| - | 200 | (((709/???).CCLS.) and (establish adj session)) and @ay < "1999" | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 17:44 |
| - | 66  | ready adj message same (path or channel)                         | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 17:48 |
| - | 1   | ("6430578").PN.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 17:48 |
| - | 2   | ("6286047").PN.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 17:49 |
| - | 2   | ("6266782").PN.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 18:38 |
| - | 229 | path same channel same handler                                   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 18:38 |
| - | 28  | (((709/???).CCLS.) and (path same channel same handler)          | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 18:52 |
| - | 2   | ("6266782").PN.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 18:52 |
| - | 2   | ("6360250").PN.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2002/08/10 18:53 |